



Susan Bates

NO. 17672
\$3.50


Bulky Knits

 **Patons**
Beehive
SHETLAND-STYLE
CHUNKY









Susan Bates

 **Patons**

Bulky Knits

CONTENTS

INSTRUCTIONS

1. Leaf and Cable Pullover shown on front cover	6
2. Triple Bobble Cardigan and Hat shown on front cover	7
3. Jacket With Collar shown on page 2	11
4. Mock Cable Pullover shown on page 3	13
5. Dolman Sleeve Pullover shown on page 4	14
6. Bateau Neck Sweater shown on page 25	15
7. His and Hers Sailboat Pullover shown on page 26	15
8. Cable Jacket shown on page 27	17
9. Family Yoke Pullovers shown on back cover	20
How To Check Gauge	19
Working With Circular Needles	23
Abbreviations and Helpful Information	24



All directions in this book have been carefully checked for accuracy. We cannot be responsible for human errors or misinterpretation of directions. Complete satisfaction and perfect results are only guaranteed when you work to exact gauge/tension with the specified yarn.

COPYRIGHT © 1983 SUSAN BATES, INC., CHESTER, CONNECTICUT 06412

PRINTED IN U.S.A.

ALL RIGHTS RESERVED

*REG. TRADE MARK

Distributed in Canada by:
Patons & Baldwins Canada, Inc.
1001 Sheppard Avenue
TORONTO, Ontario, Canada
M6B 1B8

1. Leaf and Cable Pullover

Shown on front cover

MATERIALS:

PATONS® Beehive Shetland-Style Chunky®
(50 g balls)—14 (14, 15, 15) balls Color Desired
SUSAN BATES® Knitting Needles: U.S. Size 8 [5 mm]
and U.S. Size 10 [6 mm] or size to give gauge
SUSAN BATES® Cablestitch Holder

GAUGE: 15 sts=4", 20 rows=4" in St st. Correct gauge
in St st will give correct gauge in pat st.
"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST: 34 (36, 38, 40)"

FINISHED BUST MEASUREMENT: 38 (40, 41½, 42)"

SPECIAL ABBREVIATIONS:

PB=P into back of stitch.

KB=K into back of stitch.

C4KB=Sl next 2 sts on cable holder and leave at
back of work, KB2, then KB2 from holder,
inc 1 P=P into front and back of next st.

CABLE PAT A: Worked over 6 sts.

Row 1 (Right Side): K 1, KB4, K 1.

Rows 2, 4: K 1, PB4, K 1.

Row 3: Rep Row 1.

Row 5: K 1, C4KB, K 1.

Row 6: Rep Row 2.

Rep Rows 1-6 for Pat A.

LEAF PAT B: Worked over 13 sts.

Row 1 (Right Side): P 2 tog, P 4, M1, K 1, M1, P 4, P 2 tog.

Row 2: K 5, P 3, K 5.

Row 3: P 2 tog, P 3, K 1, yo, K 1, yo, K 1, P 3, P 2 tog.

Row 4: K 4, P 5, K 4.

Row 5: P 2 tog, P 2, K 2, yo, K 1, yo, K 2, P 2, P 2 tog.

Row 6: K 3, P 7, K 3.

Row 7: P 2 tog, P 1, K 3, yo, K 1, yo, K 3, P 1, P 2 tog.

Row 8: K 2, P 9, K 2.

Row 9: P 2 tog, K 4, yo, K 1, yo, K 4, P 2 tog.

Rows 10, 12: K 1, P 11, K 1.

Row 11: P 1, K 11, P 1.

Row 13: Inc 1 P, K 4, sl 1 K, K 2 tog, pssso, K 4, inc 1 P.

Row 14: Rep Row B.

Row 15: Inc 1 P, P 1, K 3, sl 1 K, K 2 tog, pssso, K 3, P 1,

inc 1 P.

Row 16: Rep Row 6.

Row 17: Inc 1 P, P 2, K 2, sl 1 K, K 2 tog, pssso, K 2, P 2,

inc 1 P.

Row 18: Rep Row 4.

Row 19: Inc 1 P, P 3, K 2 tog tbl, K 1, K 2 tog, P 3, inc 1 P.

Row 20: Rep Row 2.

Row 21: Inc 1 P, P 4, sl 1 K, K 2 tog, pssso, P 4, inc 1 P.

Row 22: K 6, P 1, K 6.

Row 23: P 13.

Row 24: K 13.

Rep Rows 1-24 for Pat B.

BACK: ** With smaller needles, cast on 68 (72, 76, 78)
sts. Work in K 1, P 1 ribbing for 2½".

Next Row: Rib 2 (4, 8, 9) * M1, rib 2: rep from * to last
2 (4, 8, 9) sts, M1, rib 2 (4, 8, 9)—101 (105, 107, 109)
sts. Change to larger needles and work as follows.

Row 1 (Right Side): P 0 (2, 3, 4) [pat A Row 1, pat B
Row 1] 5 times, pat A Row 1, P 0 (2, 3, 4).

Row 2: K 0 (2, 3, 4) [pat A Row 2, pat B Row 2] 5 times.
pat A Row 2, K 0 (2, 3, 4).

Continue in this manner working appropriate row of
pats until 84 (82, 78, 76) rows have been completed,
end pat B Row 12 (10, 6, 4).

Shape Raglans: Keeping continuity of pats, bind off
2 sts beg of next 2 rows.

Row 3: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Row 4: P 3, work to last 3 sts, P 3.

Rep Rows 3 and 4 12 (13, 17, 19) more times.

Next Row: K 2; sl 1 K, K 2 tog, pssso, work to last 5 sts,
K 3 tog, K 2.

Next Row: P 3, work to last 3 sts, P 3. **

Rep last 2 rows 10 (10, 8, 7) more times—27 (29, 31,
33) sts. Put sts on holder.

FRONT: Work same as Back from ** to **. Rep last 2
rows 3 (3, 1, 0) more times, end Pat B Row 24—55 (57,
59, 61) sts.

Shape Neck: Keeping continuity of pat, K 2; sl 1 K, K 2
tog, pssso, work across 17 sts, turn and put rem sts on
holder.

Continue dec 2 sts as before at raglan edge every right
side row. AND AT THE SAME TIME dec 1 st at neck
edge on next 4 rows, then next 2 right side rows. Now
dec 2 sts as before at raglan edge only on next right
side row—4 sts, P 1 row.

Next Row: K 1, sl 1 K, K 2 tog, pssst: P 1 row, K 2 tog and tie off.

With right side facing, leave center 11 (13, 15, 17) sts on holder, join yarn to rem sts, work to last 5 sts, K 3 tog, K 2. Complete to correspond to first side, reversing shapings.

SLEEVES: With smaller needles, cast on 28 (30, 32, 32) sts. Work in K 1, P 1 ribbing for 2" (2½, 2½, 2½)".

Next Row: Rib 2 (3, 4, 4), M1 [rib 4, M1] 6 times, rib 2 (3, 4, 4) — 35 (37, 39, 39) sts. Change to larger needles, Reverse St st and pats as follows:

Row 1 (Right Side): P 5 (6, 7, 7), pat A Row 5 (3, 3, 1), pat B Row 23 (21, 21, 19), pat A Row 5 (3, 3, 1), P 5 (6, 7, 7).

Row 2: K 5 (6, 7, 7), pat A Row 6 (4, 4, 2), pat B Row 24 (22, 22, 20), pat A Row 6 (4, 4, 2), K 5 (6, 7, 7).

Continue working Reverse St st and appropriate row of pats, shaping sides by inc 1 st ea end 9th row, then every 8 (8, 8, 7)th row until there are 53 (55, 57, 59) sts, working added sts in Reverse St st.

Work even until approx. 17" from beg, end pat B Row 12 (10, 6, 4).

Shape Raglans: Bind off 2 sts beg of next 2 rows.

Row 3: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Row 4: P 3, work to last 3 sts, P 3.

Row 5: K 3, work to last 3 sts, K 3.

Row 6: Rep Row 4.

Rep Rows 3-6 3 (3, 4, 4) more times. Rep Rows 3 and 4 until 9 sts rem. Put sts on holder.

FINISHING — Neckband: Sew raglan seams, leaving left back raglan open. With right side facing and smaller needles, K across left sleeve, pick up 9 (9, 9, 11) sts along left neck edge, K across Front, pick up 9 (9, 9, 11) sts along right neck edge, K across right sleeve, K across 27 (29, 31, 33) sts of Back dec 1 st at center — 73 (77, 81, 89) sts. Work ribbing as follows:

Row 1 (Wrong Side): P 1, * K 1, P 1, rep from * to end.

Row 2: K 1, * P 1, K 1, rep from * to end.

Rep Rows 1 and 2 for 2½", bind off loosely in rib. Sew rem raglan and neckband seams. Fold neckband in half to wrong side and loosely st st in place.

Sew side and sleeve seams.

2. Triple Bobble Cardigan and Hat

Shown on front cover

MATERIALS:

PATONS "Beehive Shetland-Style Chunky"

(50 g balls) —

15 (16) balls Color Desired for Cardigan

2 balls Color Desired for Hat

SUSAN BATES® Knitting Needles: U.S. Size 7 [4½ mm]

and U.S. Size 10 [6 mm] or size to give gauge

SUSAN BATES® Cablestitch Holder

8 (9) Buttons and Matching Thread

GAUGE: 15 sts=4", 20 rows=4" in St st. Correct gauge in St st will give correct gauge in pat st.

"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST: 34-36 (38-40)"

FINISHED BUST MEASUREMENT:

41 (47)" — Buttoned

HAT: To fit Woman's average hat size

SPECIAL ABBREVIATIONS:

C2BP—Sl next st onto cable holder and leave at back of work, K 1, then P 1 from holder

C2FP—Sl next st onto cable holder and leave at front of work, P 1, then K 1 from holder

PB—P into back of stitch

KB—K into back of stitch

NOTE: The number of sts given refers to the basic number and does not include those made in pat on Rows 9 and 23. The inc sts are compensated for by the end of Rows 13 and 27, respectively.

BACK: With smaller needles, cast on 65 (77) sts. Work ribbing as follows:

Row 1 (Right Side): K 1, * P 1, K 1; rep from * to end.

Row 2: P 1, * K 1, P 1; rep from * to end.

Rep Rows 1 and 2 for 2", end Row 1.

Next Row: Rib 5 (2), M1, [rib 6 (8), M1] 9 times; rib to end—75 (87) sts. Change to larger needles. Work pat as follows:

Row 1 (Right Side): P 6, * K 3, P 9; rep from * to last 9 sts, K 3, P 6.

Row 2: K 6, P 3, K 9; rep from * to last 9 sts, P 3, K 6.

Row 3: P 5, * C2BP, KB1, C2FP, P 7; rep from * to last 10 sts, C2BP, KB1, C2FP, P 5.

Row 4: K 5, * [PB1, K 1] twice, PB1, K 7; rep from * to last 10 sts, [PB1, K 1] twice, PB1, K 5.

Row 5: P 4, * C2BP, P 1, KB1, P 1, C2FP, P 5; rep from * to last 11 sts, C2BP, P 1, KB1, P 1, C2FP, P 4.

Row 6: K 4, * [PB1, K 2] twice, PB1, K 5; rep from * to last 11 sts, [PB1, K 2] twice, PB1, K 4.

Row 7: P 3, * C2BP, P 2, KB1, P 2, C2FP, P 3; rep from * to end.

Row 8: K 3, * PB1, K 3; rep from * to end.

Row 9: P 3, * [K 1, yo, K 1, yo, K 1] all in next st, P 3; rep from * to end.

Row 10: K 3, * P 5, K 3; rep from * to end.

Row 11: P 3, * K 2 tog tbl, K 1, K 2 tog, P 3; rep from * to end.

Row 12: K 3, * P 3, K 3; rep from * to end.

Row 13: P 3, * wyib sl 1 P, K 2 tog, pssso, P 3; rep from * to end.

Row 14: K to end. Place marker on needle and cast on 17 sts for Pocket Lining.

Row 15: P to marker, P 2, K 1, * P 9, K 3; rep from * to last 12 sts, P 9, K 1, P 2. Place marker on needle and cast on 17 sts for Pocket Lining—109 (121) sts. Work first and last 17 sts for Pocket Linings in Reverse St st and continue working pat BETWEEN MARKERS as follows:

Row 16: K 2, P 1, * K 9, P 3; rep from * to last 12 sts, K 9, P 1, K 2.

Row 17: P 2, C2FP, * P 7, C2BP, KB1, C2FP; rep from * to last 11 sts, P 7, C2BP, P 2.

Row 18: K 3, PB1, * K 7, [PB1, K 1] twice, PB1; rep from * to last 11 sts, K 7, PB1, K 3.

Row 19: P 3, C2FP, * P 5, C2BP, P 1, KB1, P 1, C2FP; rep from * to last 10 sts, P 5, C2BP, P 3.

Row 20: K 4, PB1, * K 5, [PB1, K 2] twice, PB1; rep from * to last 10 sts, K 5, PB1, K 4.

Row 21: P 4, C2FP, * P 3, C2BP, P 2, KB1, P 2, C2FP; rep from * to last 9 sts, P 3, C2BP, P 4.

Row 22: K 5, PB1, * K 3, PB1; rep from * to last 5 sts, K 5.

Row 23: P 5, * [K 1, yo, K 1, yo, K 1] all in next st, P 3; rep from * to last 2 sts, P 2.

Row 24: K 5, * P 5, K 3; rep from * to last 2 sts, K 2.

Row 25: P 5, * K 2 tog tbl, K 1, K 2 tog, P 3; rep from * to last 2 sts, P 2.

Row 26: K 5, * P 3, K 3; rep from * to last 2 sts, K 2.

Row 27: P 5, * wyib sl 1 P, K 2 tog, pssso, P 3; rep from * to last 2 sts, P 2.

Row 28: K.

Rep Rows 1-28 for Pat, working Pocket Linings in Reverse St st as before until Row 14 has been completed.

Next 2 Rows: Bind off 17 sts; work to end.

Keeping continuity of pat and omitting reference to pocket linings, work until 27 1/4 (28 1/4)" from beg, end wrong side row.

Shape Shoulders: Bind off 26 (31) sts at beg next 2 rows—23 (25) sts. Put sts on holder.

LEFT FRONT: ** With smaller needles, cast on 33 (39) sts. Work ribbing same as for Back for 2 1/4", end Row 1.

Next Row: Rib 2 (3), M1, [rib 7 (8), M1] 4 times; rib to end—38 (44) sts. Change to larger needles. Work pat as follows: **

Row 1 (Right Side): P 6, * K 3, P 9; rep from * to last 9 (2) sts, K 3 (1), P 5 (1).

Row 2: K 5 (1), P 3 (1), * K 9, P 3; rep from * to last 6 sts, K 6.

Row 3: P 5, * C2BP, KB1, C2FP, P 7; rep from * to last 9 (3) sts, C2BP, [KB1, C2FP] 1 (0) time, P 4 (1).

Row 4: K 3 (1), [K 1, PB1] 3 (1) times, * K 7, [PB1, K 1] twice, PB1; rep from * to last 5 sts, K 5.

Row 5: P 4, * C2BP, P 1, KB1, P 1, C2FP, P 5; rep from * to last 10 (4) sts, C2BP, P 1 (2), [KB1, P 1, C2FP, P 3] 1 (0) time.

Row 6: K 3, PB1, [K 2, PB1] 2 (0) times, * K 5, [PB1, K 2] twice, PB1; rep from * to last 4 sts, K 4.

Row 7: P 3, * C2BP, P 2, KB1, P 2, C2FP, P 3; rep from * to last 11 (5) sts, C2BP, P 2 (3), [KB1, P 2, C2FP, P 2] 1 (0) time.

Row 8: K 2 (4), * PB1, K 3; rep from * to end.

Row 9: * P 3, [K 1, yo, K 1, yo, K 1] all in next st; rep from * to last 2 (4) sts, P 2 (4).

Row 10: K 2 (4), * P 5, K 3; rep from * to end.

Row 11: * P 3, K 2 tog tbl, K 1, K 2 tog; rep from * to last 2 (4) sts, P 2 (4).

Row 12: K 2 (4), * P 3, K 3; rep from * to end.

Row 13: * P 3, wyib sl 1 P, K 2 tog, pssso; rep from * to last 2 (4) sts, P 2 (4).

Row 14: K.

Work Pocket Edge as follows:

Row 15: * K 3, P 9; rep from * to last 2 (8) sts, K 2 (3), P 0 (5).

Row 16: K 0 (5), P 2 (3), * K 9, P 3; rep from * to last 12 sts, K 9, P 1, K 2.

Row 17: K 2, C2FP, * P 7, C2BP, KB1, C2FP; rep from * to last 10 (4) sts, P 7 (4), [C2BP] 1 (0) time, P 1 (0).

Row 18: K 2 (4), [PB1, K 7] 1 (0) time, * [PB1, K 1] twice, PB1, K 7; rep from * to last 4 sts, PB1, K 3.

Row 19: K 2, P 1, C2FP, * P 5, C2BP, P 1, KB1, P 1, C2FP; rep from * to last 9 (3) sts, P 5 (3), [C2BP, P 2] 1 (0) time.

Row 20: K 3, [PB1, K 5] * (0) time, * [PB1, K 2] twice, PB1, K 5; rep from * to last 5 sts, PB1, K 4.

Row 21: K 2, P 2, C2FP, * P 3, C2BP, P 2, KB1, P 2, C2FP; rep from * to last 8 (2) sts, P 3 (2), [C2BP, P 3] 1 (0) time.

Row 22: K 4 (2), * PB1, K 3; rep from * to last 2 sts, K 2.

Row 23: K 2, * P 3, [K 1, yo, K 1, yo, K 1] all in next st; rep from * to last 4 (2) sts, P 4 (2).

Row 24: K 4 (2), * P 5, K 3; rep from * to last 2 sts, K 2.

Row 25: K 2, * P 3, K 2 tog tbl, K 1, K 2 tog; rep from * to last 4 (2) sts, P 4 (2).

Row 26: K 4 (2), * P 3, K 3; rep from * to last 2 sts, K 2.

Row 27: K 2, * P 3, wyib sl 1 P, K 2 tog, pssso; rep from * to last 4 (2) sts, P 4 (2).

Row 28: K.

Rep Rows 1-28 for pat, working K 2 at beg of every odd row and K 2 at end of every even row until Row 14 is completed. Then work these 2 sts in Reverse St st as before. Keeping continuity of pat, work until 24% (25%) from beg, end wrong side row.

Shape Neck: Work across 30 (35) sts, work 2 tog, turn and put rem sts on holder. Dec 1 st at neck edge every row until 26 (31) sts rem. Work even until Front measures same as Back to beg of shoulder shaping, end wrong side row. Bind off.

RIGHT FRONT: Work same as Left Front from ** to **.

Row 1 (Right Side): P 5 (1), K 3 (1), * P 9, K 3; rep from * to last 8 sts, P 6.

Row 2: K 6, * P 3, K 9; rep from * to last 8 (2) sts, P 3 (1), K 5 (1).

Row 3: P 4 (1), [C2BP, KB1] 1 (0) time, C2FP, * P 7, C2BP, KB1, C2FP; rep from * to last 5 sts, P 5.

Row 4: K 5, * [PB1, K 1] twice, PB1, K 7; rep from * to last 9 (3) sts, [PB1, K 1] 3 (1) times, K 3 (1).

Row 5: P 3 (2), [C2BP, P 1, KB1, P 1] 1 (0) time, C2FP, * P 5, C2BP, P 1, KB1, P 1, C2FP; rep from * to last 4 sts, P 4.

Row 6: K 4, * [PB1, K 2] twice, PB1, K 5; rep from * to last 10 (4) sts, [PB1, K 2] 3 (1) times, K 1.

Row 7: P 2 (3), [C2BP, P 2, KB1, P 2] 1 (0) time, C2FP, * P 4, C2BP, P 2, KB1, P 2, C2FP; rep from * to last 3 sts, P 3.

Row 8: * K 3, PB1; rep from * to last 2 (4) sts, K 2 (4).

Row 9: P 2 (4), * [K 1, yo, K 1, yo, K 1] all in next st, P 3; rep from * to end.

Row 10: * K 3, P 5; rep from * to last 2 (4) sts, K 2 (4).

Row 11: P 2 (4), * K 2 tog tbl, K 1, K 2 tog, P 3; rep from * to end.

Row 12: * K 3, P 3; rep from * to last 2 (4) sts, K 2 (4).

Row 13: P 2 (4), * wyib sl 1 P, K 2 tog, pssso, P 3; rep from * to end.

Row 14: K.

Work Pocket Edge as follows:

Row 15: P 0 (5), K 2 (3), * P 9, K 3; rep from * to end.

Row 16: K 2, P 1, K 9, * P 3, K 9; rep from * to last 2 (8) sts, P 2 (3), K 0 (5).

Row 17: P 1 (4), [C2FP, P 7] 1 (0) time, * C2BP, KB1, C2FP, P 7; rep from * to last 4 sts, C2BP, K 2.

Row 18: K 3, PB1, * K 7, [PB1, K 1] twice, PB1; rep from * to last 10 (4) sts, K 7 (4), [PB1, K 2] 1 (0) time.

Row 19: P 2 (3), [C2FP, P 5] 1 (0) time, * C2BP, P 1, KB1, P 1, C2FP, P 5; rep from * to last 5 sts, C2BP, P 1, K 2.

Row 20: K 4, PB1, * K 5, [PB1, K 2] twice, PB1; rep from * to last 9 (3) sts, K 5 (3), [PB1, K 3] 1 (0) time.

Row 21: P 3 (2), [C2FP, P 3] 1 (0) time, * C2BP, P 2, KB1, P 2, C2FP, P 3; rep from * to last 6 sts, C2BP, P 2, K 2.

Row 22: K 2, * K 3, PB1; rep from * to last 4 (2) sts, K 4 (2).

Row 23: P 4 (2), * [K 1, yo, K 1, yo, K 1] all in next st, P 3; rep from * to last 2 sts, K 2.

Row 24: K 2, * K 3, P 5; rep from * to last 4 (2) sts, K 4 (2).

Row 25: P 4 (2), * K 2 tog tbl, K 1, K 2 tog, P 3; rep from * to last 2 sts, K 2.

Row 26: K 2, * K 3, P 3; rep from * to last 4 (2) sts, K 4 (2).

Row 27: P 4 (2), * wyib sl 1 P, K 2 tog, pssso, P 3; rep from * to last 2 sts, K 2.

Row 28: K.

Rep Rows 1-28 for pat and complete to correspond to Left Front reversing shapings.

SLEEVES: With smaller needles, cast on 32 (34) sts. Work in K 1, P 1 ribbing for 2%.

Next Row: Rib 1, [M1, rib 1] 21 (33) times—63 (67) sts. Change to larger needles and work pat as follows.

Row 1 (Right Side): P 6 (8), * K 3, P 9; rep from * to last 9 (11) sts, K 3, P 6 (8).

Row 2: K 6 (8), * P 3, K 9; rep from * to last 9 (11) sts, P 3, K 6 (8).

Continue in pat same as for Back, working extra 3 (2) sts ea end in Reverse St st and omitting reference to pocket linings. Work until 18% from beg, end wrong side row. Bind off loosely.

FINISHING—Neckband: Sew shoulder seams. With right side facing and smaller needles, K across right front, pick up 12 (14) sts along right neck edge, K across

back; pick up 12 (14) sts along left neck edge. K across left front—59 (67) sts. Work ribbing same as Back for 3"; beg Row 2. Bind off loosely in rib using larger needle. Fold neckband in half to wrong side and st st loosely in place.

Button Band: With smaller needles, cast on 7 sts. Work as follows:

Row 1 (Right Side): K 2, [P 1, K 1] twice, K 1.

Row 2: K 1, * P 1, K 1; rep from * to end.

Rep Rows 1 and 2 until band, slightly stretched, fits up Left Front to top of neckband. Sew in place as you go. Bind off in rib.

Buttonhole Band: Mark positions for 8 (9) buttonholes along Right Front edge, the first $\frac{3}{4}$ " above bottom edge, the last in center of neckband and 6 (7) evenly spaced between. Work same as for button band, working buttonholes on right side at markers as follows. Rib 3, yo, P 2 tog, rib to end. Sew on buttons.

Place center of bind-off edge of sleeves to shoulder seam and sew sleeves in place.

Sew side seams, leaving pockets free. Sew sleeve

seams. St st Pocket Linings in place to wrong side of Fronts.

HAT

With smaller needles, cast on 77 sts. Work ribbing as follows:

Row 1 (Right Side): K 1, * P 1, K 1; rep from * to end.

Row 2: P 1, * K 1, P 1; rep from * to end.

Rep Rows 1 and 2 for 2 $\frac{3}{4}$ ", end Row 1. Change to larger needles and Reverse St st beg with P row, until 6 $\frac{3}{4}$ " from beg, end K row.

Shape Crown: P 1, * P 2 tog, P 2; rep from * to end—58 sts. Work 3 rows.

Next Row: P 1, * P 2 tog, P 1; rep from * to end—39 sts. Work 3 rows.

Next Row: P 1, * P 2 tog; rep from * to end—20 sts.

Next Row: [K 2 tog] 10 times—10 sts.

Cut yarn leaving 15" end. With yarn needle, draw end thru rem sts and pull up tightly. Fasten securely. Sew back seam, reversing seam for 1 $\frac{1}{4}$ " for turnback.



friendsofworld.ru

3. Jacket With Collar

Shown on page 2

MATERIALS:

PATONS® Beehive Shetland-Style Chunky®
(50 g balls) — 12 (13, 14, 15, 15) balls Color Desired
SUSAN BATES® Knitting Needles: U.S. Size 8 [5 mm]
and U.S. Size 10 [6 mm] or size to give gauge
SUSAN BATES® Cablestitch Holder
9 Buttons and Matching Thread

GAUGE: 15 sts=4", 20 rows=4" in St st
"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST: 32 (34, 36, 38, 40)"

FINISHED BUST MEASUREMENT:
36 (38½, 40½, 42½, 45)" — Buttoned

SPECIAL ABBREVIATIONS:

Tw2K=K into back of 2nd st on left needle by inserting needle from behind work, then K into front of first st in usual manner and sl both sts off needle tog.
Tw2P=P into front of 2nd st on left needle by inserting needle from front of work, then P into front of first st in usual manner and sl both sts off needle tog.

PANEL PAT: Worked over 17 sts.

Row 1 (Right Side): Tw2K, P 2, sl next 3 sts on cable holder and leave at back of work, K 1, K 3 from holder, K 1, sl next st on holder and leave at front of work, K 3, K 1 from holder, P 2, Tw2K.

Row 2: Tw2P, K 2, P 9, K 2, Tw2P.

Row 3: Tw2K, P 2, K 9, P 2, Tw2K.

Row 4: Rep Row 2.

Rep Rows 1-4 for Panel Pat.

BACK: With smaller needles, cast on 57 (61, 65, 69, 73) sts. Work ribbing as follows:

Row 1 (Right Side): K 1, * P 1, K 1; rep from * across.

Row 2: P 1, * K 1, P 1; rep from * across.

Rep Rows 1 and 2 for 2½", end Row 1.

Next Row: Rib 4 (6, 8, 10, 12, 14), M1, [rib 3 (3, 3, 4, 4), M1] 18 times, rib to end—78 (78, 82, 86, 90) sts. Change to larger needles. Reverse St st and panel pat as follows:

Row 1 (Right Side): P 19 (21, 23, 25, 27), [pat Row 1, P 2] twice, P 17 (19, 21, 23, 25).

Row 2: K 19 (21, 23, 25, 27), [pat Row 2, K 2] twice, K 17 (19, 21, 23, 25).

Continue in this manner, working Reverse St st and appropriate row of pat until 16½" from beg or desired length to underarm, end wrong side row.

Shape Raglans: Keeping continuity of pat, bind off 2 sts at beg of next 2 rows.

Row 3: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Row 4: P 3, work to last 3 sts, P 3.

Rep Rows 3 and 4 until 32 (36, 38, 40, 40) sts rem, end Row 4.

Next Row: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Next Row: P 2, P 2 tog, work to last 4 sts, P 2 tog tbl, P 2.

Rep last 2 rows until 20 (20, 22, 24, 24) sts rem. Put sts on holder.

LEFT FRONT: ** With smaller needles, cast on 29 (31, 31, 33, 35) sts. Work ribbing same as for Back for 2½", end Row 1.

Next Row: Rib 4 (1, 2, 3, 4), M1, [rib 3 (4, 3, 3, 3), M1] 7 (7, 9, 9, 9) times, rib to end—37 (39, 41, 43, 45) sts. Change to larger needles. Reverse St st and pat as follows: **

Row 1 (Right Side): P 19 (21, 23, 25, 27), work pat Row 1 across 17 sts, P 1.

Row 2: K 1, work pat Row 2 across 17 sts, K 19 (21, 23, 25, 27).

Continue in this manner, working Reverse St st and appropriate row of pat for 2 more rows.

Divide for Pocket Opening: P 17 (19, 21, 20, 22), turn and put rem sts on holder.

Next Row: Cast on 15 (15, 15, 16, 16) sts for Pocket Lining, turn and K across all sts—32 (34, 36, 38, 40) sts. Work 22 more rows in Reverse St st, end wrong side row.

Next Row: P 17 (19, 21, 20, 22), bind off rem sts. Cut yarn. Put sts on holder.

With right side facing, join yarn to 20 (20, 20, 23, 23) sts on first holder and work 25 rows in pat, end right side row.

Next Row: Work across sts on needle, then K across 17 (19, 21, 20, 22) sts on 2nd holder—37 (39, 41, 43, 45) sts. Work across all sts until Front measures same as Back to beg of raglan shaping, end wrong side row.

Shape Raglan: Keeping continuity of pat, bind off 2 sts at beg of next row. Work 1 row.

Row 3: K 2, K 2 tog tbl, work to end.

Row 4: Work to last 3 sts, P 3.

Rep Rows 3 and 4 until 19 (20, 21, 22, 23) sts rem, end Row 4.

Shape Neck: K 2, K 2 tog tbl, work across 11 (12, 12, 12, 13) sts, turn and put rem 4 (4, 5, 6, 6) sts on holder. Continue dec 1 st as before at raglan edge every right

side row AND AT THE SAME TIME dec 1 st at neck edge on next 4 rows—8 (9, 9, 9, 10) sts.

First and 5th Sizes: Work to last 3 sts, P 3.

Next Row: K 2, K 2 tog tbl, work to end.

All Sizes: Work to last 4 sts, P 2 tog tbl, P 2.

Next Row: K 2, K 2 tog tbl, work to end.

Rep last 2 rows 0 (1, 1, 1, 1) time—5 sts.

Next Row: Work 1, P 2 tog tbl, P 2.

Next Row: K 2, K 2 tog tbl.

Next Row: P 2 tog tbl, P 1, K 2 tog tbl and tie off.

RIGHT FRONT: Work same as Left Front from ** to **.

Row 1 (Right Side): P 1, work pat Row 1 across 17 sts, P 19 (21, 23, 25, 27).

Row 2: K 19 (21, 23, 25, 27), work pat Row 2 across 17 sts, K 1.

Continue in this manner, working Reverse St st and appropriate row of pat for 2 more rows.

Divide for Pocket Opening: Work 20 (20, 20, 23, 23) sts, turn and put rem sts on holder. Work 24 more rows in pat, end right side row. Cut yarn. Put sts on holder.

With right side facing, join yarn to 17 (19, 21, 20, 22) sts on first holder, cast on 15 (15, 15, 18, 18) sts for Pocket Lining and P across all sts—32 (34, 36, 38, 40) sts.

Work 23 rows in Reverse St st, end wrong side row.

Next Row: Bind off 15 (15, 15, 18, 18) sts, P to end.

Next Row: K 17 (19, 21, 20, 22), work across 20 (20, 20, 23, 23) sts on 2nd holder—37 (39, 41, 43, 45) sts. Complete to correspond to Left Front, reversing shapings and working "tog" in place of "tog tbl" at raglan shaping.

SLEEVES: With smaller needles, cast on 26 (26, 28, 30, 30) sts, work K 1, P 1 ribbing for 2 1/2".

Next Row: Rib 3 (3, 4, 5, 5), M1 [rib 2, M1] 10 times, rib to end—37 (37, 39, 41, 41) sts. Change to larger needles, Reverse St st and pat as follows:

Row 1 (Right Side): P 10 (10, 11, 12, 12), pat Row 1, P 10 (10, 11, 12, 12).

Row 2: K 10 (10, 11, 12, 12), pat Row 2, K 10 (10, 11, 12, 12).

Continue in this manner, working Reverse St st and appropriate row of pat, shaping sides by inc 1 st ea end of next row, then every 9 (7, 7, 7, 6)th row until there are 53 (57, 59, 61, 63) sts, working added sts in Reverse St st.

Work even until 17 1/2" from beg or desired length to underarm, end wrong side row.

Shape Raglans: Keeping continuity of pat, bind off 2 sts at beg of next 2 rows.

Row 3: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Row 4: P 3, work to last 3 sts, P 3.

Row 5: K 3, work to last 3 sts, K 3.

Row 6: Rep Row 4.

Rep Rows 3-6 2 (1, 1, 1, 2) more times, then rep Rows 3 and 4 until 11 sts rem, end Row 4. Put sts on holder.

FINISHING—Collar: Sew raglan, side, and sleeve seams. With right side facing and smaller needles, K across right front, pick up 8 (8, 8, 8, 9) sts along right neck edge, K across 11 sts of right sleeve dec 3 sts evenly, K across 20 (20, 22, 24, 24) sts of back inc 1 st at center, K across 11 sts of left sleeve dec 3 sts evenly, pick up 8 (8, 8, 8, 9) sts along left neck edge, K across left front—61 (61, 65, 69, 71) sts. Work ribbing same as Back for 2 rows, beg Row 2.

Work Short Rows as follows:

Row 1: Rib to last 4 sts, turn.

Row 2: Sl 1, rib to last 4 sts, turn.

Rows 3, 4: Sl 1, rib to last 8 sts, turn.

Rows 5, 6: Sl 1, rib to last 12 sts, turn.

Rows 7, 8: Sl 1, rib to last 16 sts, turn.

Rows 9, 10: Sl 1, rib to last 20 sts, turn.

Row 11: Sl 1, rib to end.

Continue rib across all sts until Collar measures 6 3/4" at center. Bind off in rib.

Button Band: With smaller needles, cast on 7 sts, work rib as follows:

Row 1 (Right Side): K 2, [P 1, K 1] twice, K 1.

Row 2: K 1, [P 1, K 1] 3 times.

Rep Rows 1 and 2 until band, slightly stretched, fits up Left Front to top of collar. Sew in place as you go. Bind off in rib.

Buttonhole Band: Mark positions for 9 buttonholes on Right Front, the first 3/4" above lower edge, the last 3/4" below beg of neck shaping and rem spaced evenly between. Work same as button band, working buttonholes on right side at markers as follows:

Row 1: Rib 3, bind off 1 st, rib to end.

Row 2: Rib to bind-off, turn, cast on 1 st, turn, rib to end. Sew on buttons.

Pocket Bands: With right side facing and smaller needles, pick up 21 sts along edge of pocket opening. Work ribbing same as for Back for 7 rows, beg Row 2. Bind off in rib. Sl st sides of bands to right side and sl st pocket linings to wrong side.

4. Mock Cable Pullover

Shown on page 3

MATERIALS:

PATONS "Beehive Shetland-Style Chunky"
(50 g balls) — 11 (11, 12, 13, 14) balls Color Desired
SUSAN BATES® Knitting Needles: U.S. Size 8 (5 mm)
and U.S. Size 10 (6 mm) or size to give gauge
2 SUSAN BATES® Cable-stitch Holders

GAUGE: 16 sts = 4" 20 rows = 4" in St st. Correct gauge
in St st will give correct gauge in pat.

"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST: 32 (34, 36, 38, 40)"

FINISHED MEASUREMENT:

34% (36%, 39, 42, 44)"

PANEL PAT: Worked over 7 sts.

Row 1 (Right Side): K 1, [P 1, K 1] 3 times

Rows 2, 4, 8, 10, 12: P 1, [K 1, P 1] 3 times

Rows 3, 5, 9, 11, 13: Rep Row 1.

Row 6: P 1, wrapping yarn twice around needle, K 1,
[P 1, K 1] twice, P 1, wrapping yarn twice around needle.

Row 7: Put first elongated st onto cable holder and
leave at front of work, st next 5 sts on another holder
and leave at back of work, K next elongated st, rib 5 sts
from holder, K 1 from rem holder.

Row 14: Rep Row 2.

Rep Rows 1-14 for Panel Pat.

BACK: With smaller needles, cast on 60 (64, 68, 72, 76)
sts and work in K 1, P 1 ribbing for 2 1/2".

Next Row: Rib 2 (4, 2, 1, 3), M1, [rib 7 (7, 8, 7, 7), M1]
8 (8, 8, 10, 10) times, rib to end—69 (73, 77, 83, 87) sts.
Change to larger needles. Reverse St st and panel pat
as follows.

Row 1 (Right Side): P 13 (14, 14, 15, 15), pat Row 1,
[P 11 (12, 14, 16, 18), pat Row 1] twice, P to end.

Row 2: K 13 (14, 14, 15, 15), pat Row 2, [K 11 (12, 14,
16, 18), pat Row 2] twice, K to end.

Continue in this manner, working Reverse St st and
appropriate row of pat until 16" from beg or desired
length to underarm and wrong side row.

Shape Raglans: Keeping continuity of pat, bind off 2
sts at beg of next 2 rows.

Row 3: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Row 4: P 3, work to last 3 sts, P 3.

Rep Rows 3 and 4 until 25 (29, 31, 37, 35) sts rem, end
Row 4.

Next Row: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Next Row: P 2, P 2 tog, work to last 4 sts, P 2 tog tbl, P 2.
Rep last 2 rows until 21 (21, 23, 25, 27) sts rem. Put
sts on holder.

FRONT: Work same as for Back until 35 (37, 39, 43, 45)
sts rem in raglan shaping, end Row 4.

Shape Neck: K 2, K 2 tog tbl, work 10 (11, 11, 12, 12)
sts, turn and put rem sts on holder. Dec 1 st as before
at raglan edge every right side row AND AT THE SAME
TIME dec 1 st at neck edge on next 5 rows—6 (7, 7,
8, 8) sts.

First, 2nd, 3rd and 5th Sizes: Dec 1 st as before at
raglan edge only on next 2 (1, 1, 2) right side rows—4
(6, 6, 6) sts. Work 1 row.

2nd, 3rd, 4th and 5th Sizes: K 2, K 2 tog tbl, work to end.

Next Row: Work to last 4 sts, P 2 tog tbl, P 2—(4, 4,
6, 4) sts.

4th Size: Rep last 2 rows once more—(4) sts.

All Sizes: K 2, K 2 tog tbl.

Next Row: P 2 tog tbl, P 1, K 2 tog tbl and tie off.

With right side facing, leave center 7 (7, 9, 11, 13) sts
on holder, join yarn to rem sts, work across to last 4
sts, K 2 tog, K 2. Complete to correspond to first side,
reversing shapings.

SLEEVES: With smaller needles, cast on 28 (28, 30,
30, 30) sts and work in K 1, P 1 ribbing for 2 1/2".

Next Row: Rib 4 (4, 5, 3, 1), M1, [rib 2, M1] 10 (10, 10,
12, 14) times, rib to end—39 (39, 41, 43, 45) sts. Change
to larger needles. Reverse St st and panel pat as follows:

Row 1 (Right Side): P 16 (16, 17, 18, 19), pat Row 11
(11, 9, 9, 9), P 16 (16, 17, 18, 19).

Row 2: K 16 (16, 17, 18, 19), pat Row 12 (12, 10, 10, 10)
K 16 (16, 17, 18, 19).

Continue in this manner, working Reverse St st and
appropriate row of panel pat, shaping sides by inc 1
st ea end of next row, then every 16 (13, 13, 13, 13)th row
until there are 49 (51, 53, 55, 57) sts, working added
sts into Reverse St st.

Work even until approx 17 (17, 17 1/4, 17 1/2, 17 1/2)", and
same pat row as Back to beg of raglan shaping.

Shape Raglans: Keeping continuity of pat, bind off 2
sts at beg of next 2 rows.

Row 3: K 2, K 2 tog tbl, work to last 4 sts, K 2 tog, K 2.

Row 4: P 3, work to last 3 sts, P 3.

Row 5: K 3, work to last 3 sts, K 3.

Row 6: Rep Row 4.

Rep Rows 3-6, 2 (2, 2, 2, 3) more times—39 (41, 43,
45, 45) sts. Now rep Rows 3 and 4 until 9 sts rem, end
Row 4. Put sts on holder.

FINISHING—Neckband: Sew raglans, leaving left back raglan open. With right side facing and smaller needles, K 9 sts of left sleeve dec 2 sts evenly, pick up 9 (9, 9, 9, 10) sts along left neck edge, K across center front, pick up 9 (9, 9, 9, 10) sts along right neck edge,

K 9 sts of right sleeve dec 2 sts evenly, K across back—60 (60, 64, 68, 74) sts.

Work in K 1, P 1 ribbing for 3½". Bind off loosely in rib using larger needles. Sew rem raglan and neckband seam. Fold neckband in half to wrong side and loosely sl st in place. Sew side and sleeve seams.

5. Dolman Sleeve Pullover

Shown on page 4

MATERIALS:

PATONS "Beehive Shetland-Style Chunky"
(50 g balls)—9 (9, 10, 11, 12) balls Color Desired
SUSAN BATES® Knitting Needles: U.S. Size 8 [5 mm]
and U.S. Size 10 [6 mm] or size to give gauge

GAUGE: 15 sts=4", 20 rows=4" in St st
TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST: 30 (32, 34, 36, 38)"

FINISHED BUST MEASUREMENT:
34½ (35½, 37½, 40, 42)"

BACK: ** With smaller needles, cast on 58 (62, 66, 70, 74) sts. Work ribbing as follows:

Row 1 (Right Side): K 2, * P 2, K 2; rep from * to end.

Row 2: P 2, * K 2, P 2; rep from * to end.

Rep Rows 1 and 2 for 2½" and Row 1.

Next Row: Rib 5 (5, 7, 7, 7), * M1, rib 8 (13, 13, 14, 15); rep from * to last 5 (5, 7, 7, 7) sts, M1, rib to end—65 (67, 71, 75, 79) sts. Change to larger needles and St st, beg with K row, until 13½" from beg or desired length to lowered armhole, end P row.

Shape Armholes: Bind off 11 sts beg of next 2 rows—43 (45, 49, 53, 57) sts. **

Work even until 9½ (10, 10, 10½, 11)" above bind-off, end P row.

Shape Shoulders: Bind off 11 (11, 13, 14, 16) sts at beg of next 2 rows. Put rem sts on holder.

FRONT: Work same as Back from ** to **. Work even until 7½ (7½, 7½, 8¼, 8½)" above bind-off, end P row.

Divide for Neck: K 17 (17, 19, 21, 23), turn and put rem sts on holder. Dec 1 st at neck edge every row until 11 (11, 13, 14, 16) sts rem. Work even until Front measures same as Back to beg of shoulder shaping, end P row. Bind off.

With right side facing, leave center 9 (11, 11, 11, 11) sts on holder, join yarn to rem sts, K to end. Complete to correspond to first side, reversing shapings.

SLEEVES: With smaller needles, cast on 26 (26, 30, 30, 30) sts, work ribbing same as Back for 2½", end Row 1.

Next Row: Rib 1, * M1, rib 1; rep from * to end—51 (51, 59, 59, 59) sts. Change to larger needles and St st, beg with K row, shaping sides by inc 1 st ea end of 5th (next, 5th, 7th, 3rd) row, then every 5 (5, 7, 5, 5)th row until there are 73 (77, 77, 83, 85) sts.

Work even until 16¼ (17, 17, 17½, 17½)" from beg or desired length to underarm, end P row. Put marker ea end of last row. Work 14 more rows. Bind off.

FINISHING—Neckband: Sew right shoulder seam. With right side facing and smaller needles, pick up 10 (10, 10, 11, 13) sts along left neck edge, K across center front sts, pick up 10 (10, 10, 11, 13) sts along right neck edge, K across back—50 (54, 54, 58, 62) sts. Work 7 rows in ribbing same as for Back, beg Row 2. Bind off loosely in rib.

Sew left shoulder and neckband seam.

Place center of bind-off edge of sleeve at shoulder seam and sew sleeve in place, sewing rows above markers to armhole bind-off of Front and Back. Sew side and sleeve seams.

6. Bateau Neck Sweater

Shown on page 25

MATERIALS:

PATONS "Beehive Shetland-Style Chunky"
(50 g balls)—13 (13, 14, 15, 16) balls Color Desired
SUSAN BATES® Knitting Needles: U.S. Size 8 [5 mm]
and U.S. Size 10 [6 mm] or size to give gauge

GAUGE: 15 sts=4" 30 rows=4" in Garter St
(K every row)

"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST: 30 (32, 34, 36, 38)"

FINISHED BUST MEASUREMENT:

34 (36, 38, 40½, 42½)"

BACK: With smaller needles, cast on 54 (58, 62, 66, 70) sts. Work ribbing as follows:

Row 1 (Right Side): K 2, * P 2, K 2; rep from * to end.

Row 2: P 2, * K 2, P 2; rep from * to end.

Rep Rows 1 and 2 for 2½", end Row 1.

Next Row: Rib 4 (2, 4, 1, 3), M1, [rib 5 (6, 6, 7, 7), M1] 9 times, rib to end—64 (68, 72, 76, 80) sts. Change to larger needles and Garter st. (NOTE: First row is right side) until 15" from beg or desired length to underarm, end wrong side row.

Shape Armholes: Bind off 11 sts at beg of next 2 rows—42 (46, 50, 54, 58) sts. Work in K 2, P 2 ribbing same as before: beg Row 1, until 8¼ (8½, 8¾, 9¼, 9¾)" above bind-off, end wrong side row. Bind off in rib.

FRONT: Make same as Back.

SLEEVES: With smaller needles, cast on 26 (26, 30, 30, 30) sts and work in ribbing same as Back for 2½", end Row 1.

Next Row: Rib 1, * M1, rib 1; rep from * to end—51 (51, 59, 59, 59) sts. Change to larger needles and Garter st. (NOTE: First Row is right side.) Shape sides by inc 1 st ea end of 7 (7, 7, 15, 15)th row, then every 16 (12, 28, 20, 20)th row until there are 63 (67, 67, 69, 69) sts. Work even until 17 (17, 17, 17½, 17½)" from beg, end wrong side row. Place marker ea end of last row.

Work even until 19½ (19½, 19½, 20, 20)" from beg, end wrong side row. Bind off.

FINISHING: Sew shoulder seams, leaving center 9" free for neck opening.

Place center of bind-off edge of sleeve at shoulder seam and sew sleeve in place. Sew rows above markers to armhole bind-off of Back and Front. Sew side and sleeve seams.

7. His and Hers Sailboat Pullover

Shown on page 26

MATERIALS:

PATONS "Beehive Shetland-Style Chunky"
(50 g balls)—
Crew Neck: 13 (11, 11, 12, 13, 13) balls Color Desired
Turtleneck: 11 (12, 12, 12, 14, 14) balls Color Desired
SUSAN BATES® Knitting Needles: U.S. Size 7 [4½ mm]
and U.S. Size 10 [6 mm] or size to give gauge

GAUGE: 15 sts=4", 20 rows=4" in St st

"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST/CHEST: 32 (34, 36, 38, 40, 42)"

FINISHED BUST/CHEST MEASUREMENT:

34½ (36½, 38, 40, 42, 44)"

SAILBOAT PATTERN: Worked over 16 sts.

Row 1 (Right Side): K 3, P 10, K 3.

Row 2: P 2, K 12, P 2.

Row 3: K 1, P 14, K 1.

Row 4: P.

Row 5: K.

Row 6: K 6, P 1, K 9.

Row 7: K 1, P 8, K 1, P 6.

Row 8: K 6, P 1, K 8, P 1.

Row 9: K 2, P 7, K 1, P 5, K 1.

Row 10: P 1, K 5, P 1, K 6, P 3.

Row 11: K 3, P 6, K 1, P 4, K 2.

Row 12: P 2, K 4, P 1, K 5, P 4.

Row 13: K 5, P 4, K 1, P 3, K 3.

Row 14: P 3, K 3, P 1, K 4, P 5.

Row 15: K 6, P 3, K 1, P 2, K 4.

Row 16: P 4, K 2, P 1, K 2, P 7.

Row 17: K 7, P 2, K 1, P 1, K 5.

Row 18: P 7, K 1, P 8.

Rep Rows 1-18 for Pat.

BACK: ** With smaller needles, cast on 60 (64, 66, 70, 74, 76) sts. Work K 1, P 1 ribbing for 2½ (2½, 2½, 3, 3, 3)".

Next Row: Rib 5 (5, 6, 5, 7, 7), M1, [rib 10 (11, 11, 12, 12, 13), M1] 5 times, rib to end—66 (70, 72, 76, 80, 84) sts. **

Change to larger needles and St st, beg with K row, until 16 (16½, 17, 17½, 17¾, 17¾) from beg or des red length to underarm, end P row.

Shape Raglans: Bind off 2 sts beg next 2 rows.

Row 3: K 1, K 2 tog tbl, K to last 3 sts, K 2 tog, K 1.

Row 4: P.

Rep Rows 3 and 4 until 22 (26, 24, 26, 26, 30) sts rem, end Row 4.

2nd and 6th Sizes: K 1, K 2 tog tbl, K to last 3 sts, K 2 tog, K 1.

Next Row: P 1, P 2 tog, P to last 3 sts, P 2 tog tbl, P 1 — (22, 26) sts.

All Sizes: Put sts on holder.

FRONT: Work same as for Back from ** to **. Change to larger needles and St st, beg with K row, work 8 rows. Work pat as follows:

***** Row 1 (Right Side):** K 1 (3, 4, 6, 8, 10), [pat Row 1 K 8] twice, pat Row 1, K 1 (3, 4, 6, 8, 10).

Row 2: P 1 (3, 4, 6, 8, 10), [pat Row 2, P 8] twice, pat Row 2, P 1 (3, 4, 6, 8, 10).

Continue in this manner, working St st and appropriate rows of pat until pat Row 18 has been completed. Beg with K row, work 8 rows St st.

Next Row: K 13 (15, 16, 18, 20, 22), pat Row 1, K 8, pat Row 1, K 13 (15, 16, 18, 20, 22).

Next Row: P 13 (15, 16, 18, 20, 22), pat Row 2, P 8, pat Row 2, P 13 (15, 16, 18, 20, 22).

Continue in this manner, working appropriate rows of pat until pat Row 18 has been completed. Beg with K row, work 8 rows St st. ***

Rep from *** to *** until Front measures same as Back to beg of raglan shaping, end wrong side row.

Shape Raglans: Keeping continuity of pat, bind off 2 sts beg next 2 rows.

Row 3: K 1, K 2 tog tbl, work to last 3 sts, K 2 tog, K 1.

Row 4: P 2, work to last 2 sts, P 2.

Rep Rows 3 and 4 until 36 (38, 38, 40, 40, 44) sts rem, end Row 4.

Shape Neck: K 1, K 2 tog tbl, work 8 (9, 8, 8, 8, 10) sts, work 2 tog, turn and put rem sts on holder.

Dec 1 st at neck edge every right side row 3 times AND AT THE SAME TIME dec 1 st as before at raglan edge every right side row until 5 (6, 5, 5, 5, 7) sts rem, end wrong side row.

Continue dec 1 st as before at raglan edge only until 3 (4, 3, 3, 3, 4) sts rem, end wrong side row.

First, 3rd, 4th, and 5th Sizes: K 1, K 2 tog tbl, P 2.

2nd and 6th Sizes: K 1, K 2 tog tbl, K 1, P 2 tog tbl, P 1 — 2 sts.

All Sizes: K 2 tog tbl and tie off.

With right side facing, leave center 10 (10, 12, 14, 14, 14) sts on holder, join yarn to rem sts, work 2 tog, work to last 3 sts, K 2 tog, K 1. Complete to correspond to first side, reversing shapings and working "tog" instead of "tog tbl" at raglan shaping.

SLEEVES: With smaller needles, cast on 28 (28, 33, 32, 32, 34) sts and work in K 1, P 1 ribbing for 2½ (2½, 2¾, 3, 3, 3½).

Next Row: Rib 4 (4, 4, 2, 2, 3), M1, [rib 4 (4, 3, 4, 4, 4), M1] 5 (5, 7, 7, 7, 7) times, rib to end — 34 (34, 38, 40, 40, 42) sts. Change to larger needles and St st, beg with K row, shape sides by inc 1 st ea end of 5th (5th, 3rd, 3rd, 5th, 5th) row, then every 8 (7, 8, 8, 7, 7)th row until there are 50 (52, 56, 58, 60, 62) sts. Work even until 17 (17, 18, 18, 18½, 18½) from beg or desired length to underarm, end P row.

Shape Raglans: Bind off 2 sts at beg next 2 rows.

Row 3: K 1, K 2 tog tbl, K to last 3 sts, K 2 tog, K 1.

Row 4: P.

Rep Rows 3 and 4 until 6 (6, 10, 10, 6, 6) sts rem, end Row 4.

3rd and 4th Sizes: K 1, K 2 tog tbl, K 4, K 2 tog, K 1.

Next Row: P 1, P 2 tog, P 2, P 2 tog tbl, P 1 — 6 sts.

All Sizes: Put sts on holder.

FINISHING—Crew Neck or Turtleneck: Sew raglan seams, leaving left back raglan open.

With right side facing and smaller needles, K across 6 sts of left sleeve dec 1 st at center, pick up 14 (14, 16, 16, 16, 18) sts along left neck edge, K across front, pick up 14 (14, 16, 16, 16, 18) sts along right neck edge, K across 6 sts of right sleeve dec 1 st at center, K across back — 70 (70, 78, 82, 82, 86) sts.

Work in K 1, P 1 ribbing for 2½ (3¼, 3½, 3¼, 3½, 3½) for Crew Neck or 6½ (6½, 6½, 8, 8, 8) for Turtleneck. Using larger needle, bind off loosely in rib.

Sew rem raglan and neckband seam, reversing seam on Turtleneck for 4" for turnback. Fold Crew Neck band in half to wrong side and loosely st st in place.

Sew side and sleeve seams.

8. Cable Jacket

Shown on page 27

MATERIALS:

PATONS® "Beehive Shetland-Style Chunky"
(50 g balls)—12 (13, 14, 15, 16) balls Color Desired
SUSAN BATES® Knitting Needles: U.S. Size 7 [4½ mm]
and U.S. Size 10 [6 mm] or size to give gauge
SUSAN BATES® Cablestitch Holder
9 Buttons and Matching Thread

GAUGE: 15 sts=4", 20 rows=4" in St st. Correct gauge
in St st will give correct gauge in pat.

"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST: 32 (34, 36, 38, 40)"

FINISHED BUST MEASUREMENT:

36½ (38½, 40½, 43, 45)"—Buttoned

SPECIAL ABBREVIATIONS:

C4B=Sl next 2 sts onto cable holder and leave
at back of work, K 2, then K 2 from holder.
C4F=Sl next 2 sts onto cable holder and leave at
front of work, K 2, then K 2 from holder.
C6BP=Sl next 4 sts onto cable holder and leave at
back of work, K 2, then K 2, P 2 from holder.
C6FP=Sl next 2 sts onto cable holder and leave at
front of work, P 2, K 2, then K 2 from holder.
Cr4FP=Sl next 2 sts onto cable holder and leave at
front of work, P 2, then K 2 from holder.
Cr4BP=Sl next 2 sts onto cable holder and leave at
back of work, K 2, then P 2 from holder.

PANEL PAT A: Worked over 4 sts.

Row 1: K 4.

Row 2: P 4.

Row 3: C4B.

Row 4: P 4.

Rep Rows 1-4 for Panel Pat A.

PANEL PAT B: Worked over 20 sts. NOTE: The number
of sts given refers to the basic number and does not
include those made and lost in pat.

Row 1 (Right Side): P 8, K 4, P 8.

Rows 2, 4, 6, 8, 10, 12, 14, 16: K all K sts and P all P sts
as they face you.

Row 3: P 8, C4B, P 8.

Row 5: Rep Row 1.

Row 7: P 6, C4B, C4F, P 6.

Row 9: P 6, K 8, P 6.

Row 11: P 4, C6BP, C6FP, P 4.

Row 13: P 4, [K 4, P 4] twice.

Row 15: P 2, C6BP, P 4, C6FP, P 2.

Row 17: P 2, K 4, P 3, P 2 tog, P 3, K 4, P 2—19 sts.

Row 18: K 2, P 4, K 3, [K 1, yo, K 1, yo, K 1] into next st,
K 3, P 4, K 2—23 sts.

Row 19: C6BP, P 3, K 5, P 3, C6FP.

Row 20: P 4, K 5, P 2, yo, P 1, yo, P 2, K 5, P 4—25 sts.

Row 21: K 4, P 5, K 7, P 5, K 4.

Row 22: P 4, K 5, P 7, K 5, P 4.

Row 23: K 4, P 5, sl 1 K, K 1, pssso, K 3, K 2 tog, P 5, K 4
—23 sts.

Row 24: P 4, K 5, P 5, K 5, P 4.

Row 25: C6FP, P 3, sl 1 K, K 1, pssso, K 1, K 2 tog, P 3,
C6BP—21 sts.

Row 26: K 2, P 4, K 3, P 3, K 3, P 4, K 2.

Row 27: P 2, K 4, P 3, sl 1 K, K 2 tog, pssso, P 3, K 4, P 2
—19 sts.

Row 28: K 2, P 4, K 3, M1, K 4, P 4, K 2—20 sts.

Row 29: P 2, C6FP, P 4, C6BP, P 2.

Rows 30, 32, 34, 36: K all K sts and P all P sts as they
face you.

Row 31: P 4, [K 4, P 4] twice.

Row 33: P 4, C6FP, C6BP, P 4.

Row 35: P 6, K 8, P 6.

Row 37: P 6, Cr4FP, Cr4BP, P 6.

Row 38: K all K sts and P all P sts as they face you.

Rep Rows 1-38 for Panel Pat B.

PANEL PAT C: Worked over 4 sts.

Work same as Panel Pat A, working C4F in place of C4B.

PANEL PAT D: Worked over 20 sts.

Work same as Panel Pat B, working C4F in place of C4B
in Row 3.

BACK: With smaller needles, cast on 61 (65, 69, 73,
77) sts. Work ribbing as follows:

Row 1 (Right Side): K 1, * P 1, K 1; rep from * across.

Row 2: P 1, * K 1, P 1; rep from * across.

Rep Rows 1 and 2 for 3", and Row 1.

Next Row: Rib 2 (4, 6, 8, 10), * M1, rib 3; rep from * to
last 2 (4, 6, 8, 10) sts, M1, rib to end—81 (85, 89, 93, 97)
sts. Change to larger needles, Reverse St st and panel
pats as follows.

Row 1 (Right Side): P 4 (5, 6, 7, 8), pat A Row 1, P 2; pat B Row 1, P 2; pat C Row 1, P 9 (11, 13, 15, 17), pat C Row 1, P 2; pat D Row 1, P 2; pat A Row 1, P 4 (5, 6, 7, 8).

Row 2: K 4 (5, 6, 7, 8), pat A Row 2, K 2, pat D Row 2, K 2, pat C Row 2, K 9 (11, 13, 15, 17), pat C Row 2, K 2, pat B Row 2, K 2, pat A Row 2, K 4 (5, 6, 7, 8).

Continue in this manner, working Reverse St st and appropriate row of panel pats until 15" (15", 15", 15") from beg or desired length to underarm, end wrong side row.

Shape Raglans: Keeping continuity of panel pats, bind off 4 sts at beg of next 2 rows.

Row 3: K 1, K 2 tog tbl, work to last 3 sts, K 2 tog, K 1.

Row 4: P 2, work to last 2 sts, P 2.

Rep Rows 3 and 4 until 35 (37, 39, 41, 41) sts rem, end Row 4.

Next Row: K 1, K 3 tog tbl, work to last 4 sts, K 3 tog, K 1.

Next Row: P 2, work to last 2 sts, P 2.

Rep last 2 rows until 23 (25, 27, 29, 29) sts rem, end wrong side row. Put rem sts on holder.

LEFT FRONT: ** With smaller needles, cast on 31 (33, 35, 37, 39) sts. Work ribbing same as for Back for 3", end Row 1.

Next Row: Rib 4 (5, 6, 7, 8), * M1, rib 3; rep from * to last 3 (4, 5, 6, 7) sts, M1, rib to end—40 (42, 44, 46, 48) sts.

Change to larger needles, Reverse St st and panel pats as follows: **

Row 1 (Right Side): P 4 (5, 6, 7, 8), pat A Row 1, P 2; pat B Row 1, P 2; pat C Row 1, P 4 (5, 6, 7, 8).

Row 2: K 4 (5, 6, 7, 8), pat C Row 2, K 2, pat B Row 2, K 2, pat A Row 2, K 4 (5, 6, 7, 8).

Divide for Pocket Opening: Continue working Reverse St st and appropriate row of panel pats as follows:

Next Row: Work 9 (10, 11, 12, 13) sts, turn and put rem 31 (32, 33, 34, 35) sts on holder. Work for 5" more, end right side row. Cut yarn. Put sts on holder.

With right side facing, join yarn to rem 31 (32, 33, 34, 35) sts and work pat for 5", end right side row.

Next Row: Work across 31 (32, 33, 34, 35) sts on needle, then work across 9 (10, 11, 12, 13) sts from holder—40 (42, 44, 46, 48) sts.

Work until Front measures same as Back to beg of raglan shaping, end wrong side row.

Shape Raglan: Keeping continuity of pat, bind off 4 sts at beg of next row. Work 1 row.

Row 3: K 1, K 2 tog tbl, work to end.

Row 4: Work to last 2 sts, P 2.

Rep Rows 3 and 4 until 20 (21, 22, 23, 24) sts rem, end right side row.

Shape Neck: Bind off 3 (4, 5, 6, 5) sts, work to last 2 sts, P 2.

Continue dec 1 st at raglan edge on next and every right side row AND AT THE SAME TIME dec 1 st at neck edge every row until 8 sts rem.

5th Size: Work 1 row.

All Sizes: K 1, K 3 tog tbl, work to end.

Next Row: Work to last 2 sts, P 2.

Rep last 2 rows once more.

Next Row: K 1, K 3 tog tbl, P 2, K 2 tog tbl and tie off.

RIGHT FRONT: Work same as for Left Front from ** to **.

Row 1 (Right Side): P 4 (5, 6, 7, 8), pat C Row 1, P 2; pat D Row 1, P 2; pat A Row 1, P 4 (5, 6, 7, 8).

Row 2: K 4 (5, 6, 7, 8), pat A Row 2, K 2, pat D Row 2, K 2, pat C Row 2, K 4 (5, 6, 7, 8).

Divide for Pocket Opening: Continue working Reverse St st and appropriate row of panel pats as follows:

Next Row: Work 31 (32, 33, 34, 35) sts, turn and put rem 9 (10, 11, 12, 13) sts on holder.

Work for 5" end right side row. Cut yarn. Put sts on holder. With right side facing, join yarn to rem 9 (10, 11, 12, 13) sts and work for 5" end right side row.

Next Row: Work across 9 (10, 11, 12, 13) sts on needle, then work across 31 (32, 33, 34, 35) sts from holder—40 (42, 44, 46, 48) sts.

Complete to correspond to Left Front, reversing shapings, working "tog" in place of "tog tbl" at raglan shaping.

LEFT SLEEVE: With smaller needles, cast on 28 (30, 30, 32, 32) sts and work in K 1, P 1 ribbing for 2 1/2".

Next Row: Rib 3 (4, 4, 5, 5), * M1, rib 2; rep from * to last 3 (4, 4, 5, 5) sts, M1, rib to end—40 (42, 42, 44, 44) sts. Change to larger needles, Reverse St st and panel pats as follows:

Row 1 (Right Side): P 4 (5, 5, 6, 6), pat A Row 1, P 2; pat B Row 1, P 2; pat C Row 1, P 4 (5, 5, 6, 6).

Row 2: K 4 (5, 5, 6, 6), pat C Row 2, K 2, pat B Row 2, K 2, pat A Row 2, K 4 (5, 5, 6, 6).

Continue in this manner, working Reverse St st and appropriate row of panel pats, shaping sides by inc 1 st ea end of 3rd (7th, 7th, 9th, 9th) row, then every 10 (8, 7, 7, 6)th row until there are 54 (58, 60, 62, 64) sts, working added sts into Reverse St st.

Work even until 17 1/2" from beg or desired length to underarm, end wrong side row.

Shape Raglans: Keeping continuity of pats, bind off 4 sts at beg of next 2 rows.

Row 3: K 1, K 2 tog tbl, work to last 3 sts, K 2 tog, K 1.

Row 4: P 2, work to last 2 sts, P 2.

Row 5: K 2, work to last 2 sts, K 2.

Row 6: Rep Row 4.

Rep Rows 3-6 1(0, 0, 1, 1) more time, then rep Rows 3 and 4 until 6 (6, 6, 8, 8) sts rem. end wrong side row. Put rem sts on holder.

RIGHT SLEEVE: Work same as for Left Sleeve, but work panel pats C, D, and A in place of A, B, and C respectively.

FINISHING—Neckband: Sew raglan, side, and sleeve seams. With right side facing and smaller needles, pick up 14 (15, 16, 16, 17) sts along right neck edge. K across right sleeve, back neck, and left sleeve, then pick up 14 (15, 16, 16, 17) sts along left neck edge—63 (67, 71, 77, 79) sts.

Work ribbing same as for Back, beg Row 2, for 4". Using larger needle, bind off loosely in rib.

Fold neckband in half to wrong side and loosely st in place.

Button Band: With smaller needles, cast on 9 sts and work ribbing as follows:

Row 1 (Right Side): K 2, [P 1, K 1] 3 times, K 1.

Row 2: [K 1, P 1] 4 times, K 1.

Rep Rows 1 and 2 until band, slightly stretched, fits up Left Front to top of neckband, sew in place as you go. Bind off in rib.

Buttonhole Band: Mark positions for 9 buttonholes along Right Front edge, the first $\frac{1}{2}$ " above lower edge, the last in the center of neckband and 7 more evenly spaced between. Work same as for button band, working buttonholes on right side at markers as follows:

Row 1: Rib 4, bind off 2 sts, rib to end.

Row 2: Rib to bind-off, turn, cast on 2 sts, turn, rib to end.

Sew on buttons.

Pocket Linings: With right side facing and larger needles, pick up 21 sts along pocket opening nearest side edge. Beg with a P row, work in St st for 5", end P row. Bind off.

Pocket Bands: With right side facing and smaller needles, pick up 23 sts along rem edge of pocket opening. Work ribbing same as for Back, beg Row 2, for $\frac{1}{2}$ ". Bind off in rib.

Sew sides of Pocket Bands to right side of work and Pocket Linings to wrong side of work.

CHECK YOUR GAUGE


The tension at which the working strand of yarn is held, and the size of the needles, controls and determines the GAUGE and the finished size of the knitting. Since every knitter holds the yarn with a slightly different tension, it is essential that the gauge be checked and followed for proper fit of a garment. Any set of instructions is figured and written to a specific gauge, which is stated at the beginning of the instructions.

GAUGE is the number of stitches per inch, and the number of rows per inch, based on the specific weight of yarn called for and the pattern stitch used in the main body of the article. Alterations to obtain the proper gauge are made by changing the needle size.

How To Check Your Gauge: Multiply the number of stitches per inch called for in your instructions by 3. Cast on this number of stitches with the yarn and needle size to be used in the main body of the article. Work in the pattern stitch specified for 3" then bind off all stitches. Lay the swatch on a flat surface and place a Susan Bates® Knit-Chek over the swatch. Count the number of stitches and rows per inch. Do not underestimate the importance of half a stitch. This half-stitch will make a considerable difference in the overall measurement.

If your swatch has TOO MANY stitches or rows per inch than the specified gauge, your work is too tight. Make up another swatch using the next size LARGER needles until the proper gauge is obtained.

If your swatch has too few stitches or rows per inch, your work is too loose. Use a SMALLER needle to obtain the proper gauge. The size of the needle used does not matter as long as your gauge matches the gauge of the directions.





9. Family Yoke Pullovers

Shown on back cover

MATERIALS:

PATONS® Beehive Shetland-Style Chunky®
(50 g balls) — 7 (8, 9, 10, 11, 12, 13, 14) balls
Color Desired

SUSAN BATES® Circular Knitting Needles:
U.S. Size 7 [4½ mm] and U.S. Size 10 [6 mm] — 16"
and 24 (24, 29, 29, 29, 29, 29, 29)"
or size to give gauge

SUSAN BATES® Cablestitch Holder

GAUGE: 16 sts=4", 20 rows=4" in St st

"TO SAVE TIME, TAKE TIME TO CHECK GAUGE"

TO FIT BUST/CHEST: 28 (30, 32, 34, 36, 38, 40, 42)"

FINISHED BUST/CHEST MEASUREMENT:

30 (32½, 34½, 36½, 38½, 41, 43, 45)"

SPECIAL ABBREVIATIONS:

C4B=Sl next 2 sts onto cable holder and leave at
back of work, K 2, then K 2 from holder.

C3P=Sl next st onto cable holder and leave at back
of work, K 2, then P 1 from holder.

C3L=Sl next 2 sts onto cable holder and leave at
front of work, P 1, then K 2 from holder.

NOTE: See page 23 for working with circular needles.

BACK: With smaller needle, cast on 56 (60, 64, 68, 72,
76, 80, 84) sts. Do not join. Work back and forth in K 1,
P 1 ribbing for 2½ (2½, 2½, 3, 3, 3, 3, 3)". Inc 1 st at
center of last row—57 (61, 65, 69, 73, 77, 81, 85) sts.
Change to larger needle and St st, beg with a K row.
Work until 13½ (14½, 14½, 13½, 13½, 14½, 15½, 16)"
from beg or desired length to underarm, end P row. Place
marker ea end of last row.

Shape Armholes: Dec 1 st ea end of next row, then
every right side row 0 (2, 3, 1, 2, 4, 5, 6) times—55 (55,
57, 65, 67, 67, 69, 71) sts. Work 1 row. Put sts on holder.

FRONT: Work same as for Back until 10 (6, 6, 8, 6, 4,
2, 0) rows less than on Back have been worked before
beg of armhole shaping.

Shape Yoke and Armholes—Work short rows as
follows:

First, 2nd, 3rd, 4th, 5th, 6th and 7th Sizes:

Row 1: K 20 (22, 25, 21, 22, 26, 27), turn and put rem
sts on holder.

Row 2 AND EVERY EVEN ROW: Sl 1, P to end.

First, 2nd, 3rd, 4th, 5th and 6th Sizes:

Row 3: K 13 (15, 18, 14, 15, 19), turn.

First, 2nd, 3rd, 4th and 5th Sizes:

Row 5: K 9 (11, 14, 10, 11), turn.

First and 4th Sizes:

Row 7: K 7 (8), turn.

First Size:

Row 9: K 5, turn.

First, 2nd, 3rd, 4th, 5th, 6th and 7th Sizes: Sl 1, P
to end.

All Sizes: Mark beg of row and K 2 tog, K 1 (7, 10, 4, 7,
13, 18, 26), turn.

8th Size Only: Put rem sts on holder.

All Sizes: Sl 1, P to end.

2nd, 3rd, 4th, 5th, 6th, 7th and 8th Sizes: K 2 tog,
K (4, 7, 1, 4, 10, 13, 18), turn. Sl 1, P to end.

2nd, 3rd, 5th, 6th, 7th and 8th Sizes: K 2 tog, K (1, 4,
1, 7, 10, 13), turn. Sl 1, P to end.

3rd, 6th, 7th and 8th Sizes: K 2 tog, K (1, 4, 7, 10), turn.
Sl 1, P to end.

6th, 7th and 8th Sizes: K 2 tog, K (1, 4, 7), turn. Sl 1,
P to end.

7th and 8th Sizes: K 2 tog, K (1, 4), turn. Sl 1, P to end.

8th Size: K 2 tog, K 1, turn. Sl 1, P 1.

All Sizes: Put rem 19 (19, 21, 19, 19, 21, 21, 21) sts on
holder.

With right side facing, leave center 17 (17, 15, 27, 29,
25, 27, 29) sts on holder, join yarn to rem sts and com-
plete to correspond to first side, reversing shapings and
marking beg of armhole shaping.

SLEEVES: With smaller needle, cast on 24 (24, 26, 28,
28, 30, 32, 32) sts and work back and forth in K 1, P 1
ribbing for 2 (2, 2, 2½, 2½, 2½, 2½, 2½)".

Next Row: Rib 2 (2, 3, 2, 3, 1, 2, 2), M1, [rib 4 (4, 4, 5, 3,
4, 4, 3), M1] 5 (5, 5, 5, 7, 7, 7, 9) times; rib to end—30
(30, 32, 34, 36, 38, 40, 42) sts.

Change to larger needle and St st, beg with a K row shaping sides by inc 1 st ea end of 7th (7th, 5th, 3rd, 5th, 3rd, 7th, next) row, then every 8 (8, 10, 10, 9, 8, 7) 7th row until there are 42 (44, 46, 48, 52, 56, 60, 64) sts. Work even until approx. 13% (15%, 16%, 16%, 18, 18 18%, 18%) from beg or desired length to underarm end P row. Place marker ea end of last row.

Shape Top: Dec 1 st ea end of next row, then every right side row 0 (2, 3, 1, 1, 3, 5, 6) times—40 (38, 38, 44, 48, 48, 48, 50) sts.

4th and 7th Sizes Only: Work 1 row inc (1, 2) sts—(45, 50) sts.

5th and 6th Sizes Only: Dec 1 st ea end every row until 44 sts rem.

All Sizes: Put sts on holder.

YOKE AND NECKBAND: With right side facing, leave first 27 (27, 28, 21, 22, 22, 23, 24) sts of Back on holder. With larger needle, K across rem 28 (28, 29, 44, 45, 45, 46, 47) sts of back 0 (inc, 0, 0, dec, dec, inc, 0) 1 st, K across 40 (38, 38, 45, 44, 44, 50, 50) sts of left sleeve, 0 (0, 0, 0, inc, inc, 0, 0) 1 st, K across 55 (55, 57, 65, 67, 67, 69, 71) sts of front, 0 (inc, 0, 0, dec, dec, inc, 0) 2 sts evenly spaced, K across 40 (38, 38, 45, 44, 44, 50, 50) sts of right sleeve, 0 (0, 0, 0, inc, inc, 0, 0) 1 st, then K across 27 (27, 28, 21, 22, 22, 23, 24) sts of back, 0 (inc, 0, 0, dec, dec, inc, 0) 1 st—190 (190, 190, 220, 220, 220, 242, 242) sts.

Join and mark beg of ea rnd and work pat as follows.

First, 2nd and 3rd Sizes:

Rnd 1: [P 1, K 18] 10 times.

Rnds 2, 3: [P 2, K 16, P 1] 10 times.

Rnds 4, 5: [K 1, P 2, K 14, P 2] 10 times.

Rnds 6, 7: [P 1, K 1, P 2, K 12, P 2, K 1] 10 times.

Rnds 8, 9: [K 1, P 1, K 1, P 2, K 10, P 2, K 1, P 1] 10 times.

Rnd 10: * [P 1, K 1] twice, P 2, K 8, P 2, K 1, P 1, K 1; rep from * 8 more times, [P 1, K 1] twice, P 2, K 8, P 2, K 1, P 1. Remove marker and place it on right needle.

Rnd 11 (Dec Rnd): [K 3 tog, P 1, K 1, P 2, K 8, P 2, K 1, P 1] 10 times—170 sts.

Rnds 12, 13: * [P 1, K 1] twice, P 2, K 6, P 2, K 1, P 1, K 1; rep from * around.

Rnd 14: * [K 1, P 1] 3 times, P 1, C4B, P 1, [P 1, K 1] twice, P 1; rep from * around.

Rnd 15: * [K 1, P 1] 3 times, P 1, K 4, P 1, [P 1, K 1] twice, P 1; rep from * 8 more times, [K 1, P 1] 3 times, P 1, K 4, P 1, [P 1, K 1] twice. Remove marker and place it on right needle.

Rnd 16 (Dec Rnd): [K 3 tog, P 1, K 1, P 2, C3R, C3L, P 2, K 1, P 1] 10 times—150 sts.

Rnd 17: * [K 1, P 1] twice, P 1, [K 2, P 2] twice, K 1, P 1; rep from * around.

Rnd 18: [P 1, K 1, P 2, C3R, P 2, C3L, P 2, K 1] 10 times.

Rnd 19: [P 1, K 1, P 2, K 2, P 4, K 2, P 2, K 1] 10 times.

Rnd 20: * [K 1, P 1] twice, C3L, P 2, C3R, P 1, K 1, P 1; rep from * around.

Rnd 21: * [K 1, P 1] twice, P 1, [K 2, P 2] twice, K 1, P 1; rep from * 8 more times, [K 1, P 1] twice, P 1, [K 2, P 2] twice, K 1. Remove marker and place it on right needle.

Rnd 22 (Dec Rnd): [K 3 tog, P 1, K 1, P 1, C3L, C3R, P 1, K 1, P 1] 10 times—130 sts.

NOTE: Change to larger 16" needle for ease in working as sts are dec.

Rnd 23: * [K 1, P 1] twice, P 1, K 4, P 2, K 1, P 1; rep from * around.

Rnd 24 (Dec Rnd): [P 1, K 1, P 1, P 2 tog, C4B, P 2 tog, P 1, K 1] 10 times—110 sts.

Rnd 25: [P 1, K 1, P 2, K 4, P 2, K 1] 10 times.

Rnd 26: [K 1, P 2, C3R, C3L, P 2] 10 times.

Rnd 27: * K 1, [P 2, K 2] twice, P 2; rep from * around.

Rnd 28: [P 1, K 1, P 1, C3L, C3R, P 1, K 1] 10 times.

Rnd 29: [P 1, K 1, P 2, K 4, P 2, K 1] 10 times.

Rnd 30 (Dec Rnd): [K 1, P 1, P 2 tog, C4B, P 2 tog, P 1] 10 times—90 sts.

Rnd 31: [K 1, P 2, K 4, P 2] 10 times.

Rnd 32 (Dec Rnd): [P 1, P 2 tog, K 4, P 2 tog] 10 times—70 sts.

4th, 5th, 6th, 7th and 8th Sizes:

Rnd 1: * P 1, K 21; rep from * around.

Rnds 2, 3: * P 2, K 19, P 1; rep from * around.

Rnds 4, 5: * K 1, P 2, K 17, P 2; rep from * around.

Rnds 6, 7: * P 1, K 1, P 2, K 15, P 2, K 1; rep from * around.

Rnds 8, 9: * [K 1, P 1] twice, P 1, K 13, P 2, K 1, P 1; rep from * around.

Rnd 10: * [P 1, K 1] twice, P 2, K 11, P 1, [P 1, K 1] twice; rep from * around.

Rnd 11: * [P 1, K 1] twice, P 2, K 11, P 2, K 1, P 1, K 1; rep from * (8, 8, 8, 9, 9) more times, [P 1, K 1] twice, P 2, K 11, P 2, K 1, P 1. Remove marker and place it on right needle.

Rnd 12 (Dec Rnd): * P 3 tog, [K 1, P 1] twice, P 1, K 9, P 1, [P 1, K 1] twice; rep from * around—(200, 200, 200, 220, 220) sts.

Rnd 13: * [P 1, K 1] twice, P 2, K 9, P 1, [P 1, K 1] twice; rep from * around.

Rnd 14: * [K 1, P 1] 3 times, P 1, K 7, P 1, [P 1, K 1] twice, P 1; rep from * around.

Rnd 15 (Dec Rnd): * [K 1, P 1] 3 times, P 1, K 1, K 2 tog, K 4, P 1, [P 1, K 1] twice, P 1; rep from * around—(190, 190, 190, 209, 209) sts.

Rnd 16: * [P 1, K 1] 3 times, P 2, C4B, P 1, [P 1, K 1] 3 times; rep from * around

Rnd 17: * [P 1, K 1] 3 times, P 2, K 4, P 1, [P 1, K 1] 3 times; rep from * around

Rnd 18: * [K 1, P 1] 3 times, P 1, C3R, C3L, P 2, [K 1, P 1] twice; rep from * around

Rnd 19: * [K 1, P 1] 3 times, P 1, [K 2, P 2] twice, [K 1, P 1] twice; rep from * around

Rnd 20: * [P 1, K 1] twice, P 2, C3R, P 2, C3L, P 1, [P 1, K 1] twice; rep from * around

Rnd 21: * [P 1, K 1] twice, P 2, K 2, P 4, K 2, P 1, [P 1, K 1] twice; rep from * around

Rnd 22: * [K 1, P 1] twice, P 1, C3R, P 4, C3L, P 2, K 1, P 1; rep from * around

Rnd 23: * [K 1, P 1] twice, P 1, K 2, P 6, K 2, P 2, K 1, P 1; rep from * around

Rnd 24: * [P 1, K 1] twice, P 1, C3L, P 4, C3R, [P 1, K 1] twice; rep from * around

Rnd 25: * [P 1, K 1] twice, P 2, K 2, P 4, K 2, P 1, [P 1, K 1] twice; rep from * around

Rnd 26: * [K 1, P 1] 3 times, C3L, P 2, C3R, P 1, [K 1, P 1] twice; rep from * around

Rnd 27: * [K 1, P 1] 3 times, P 1, [K 2, P 2] twice, [K 1, P 1] twice; rep from * around

Rnd 28: * [P 1, K 1] 3 times, P 1, C3L, C3R, [P 1, K 1] 3 times; rep from * around

Rnd 29: * [P 1, K 1] 3 times, P 2, K 4, P 1, [P 1, K 1] 3 times; rep from * around

Rnd 30 (Dec Rnd): * [K 1, P 1] 3 times, P 2 tog, C4B, P 2 tog, P 1, [K 1, P 1] twice; rep from * around—(170, 170, 170, 187, 187) sts.

Rnd 31: * [K 1, P 1] 3 times, P 1, K 4, P 2, [K 1, P 1] twice; rep from * around

Rnd 32: * [P 1, K 1] twice, P 2, C3R, C3L, P 2, K 1, P 1, K 1; rep from * around

Rnd 33: * [P 1, K 1] twice, [P 2, K 2] twice, P 2, K 1, P 1, K 1; rep from * (8, 8, 8, 9, 9) more times, [P 1, K 1] twice, [P 2, K 2] twice, P 2, K 1, P 1. Remove marker and place it on right needle.

Rnd 34 (Dec Rnd): * P 3 tog, K 1, P 2, C3R, P 2, C3L, P 2, K 1; rep from * around—(150, 150, 150, 165, 165) sts.

Rnd 35: * P 1, K 1, P 2, K 2, P 4, K 2, P 2, K 1; rep from * around

Rnd 36: * [K 1, P 1] twice, C3L, P 2, C3R, P 1, K 1, P 1; rep from * around

Rnd 37: * [K 1, P 1] twice, P 1, [K 2, P 2] twice, K 1, P 1; rep from * (3, 8, 8, 9, 9) more times, [K 1, P 1] twice, P 1, [K 2, P 2] twice, K 1. Remove marker and place it on right needle

Rnd 38 (Dec Rnd): * K 3 tog, P 1, K 1, P 1, C3L, C3R, P 1, K 1, P 1; rep from * around—(130, 130, 130, 143, 143) sts. NOTE: Change to larger 16" needle for ease in working as sts are decreased.

Rnd 39: * [K 1, P 1] twice, P 1, K 4, P 2, K 1, P 1; rep from

Rnd 40 (Dec Rnd): * P 1, K 1, P 1, P 2 tog, C4B, P 2 tog, P 1, K 1; rep from * around—(110, 110, 110, 121, 121) sts.

Rnd 41: * P 1, K 1, P 2, K 4, P 2, K 1; rep from * around

Rnd 42 (Dec Rnd): * K 1, P 1, P 2 tog, K 4, P 2 tog, P 1; rep from * around—(90, 90, 90, 99, 99) sts.

NECKBAND—All Sizes: Change to smaller 16" needle and work as follows:

First, 2nd, 3rd and 7th Sizes: K 1 (2, 2, 4), [K 2 tog, K 4 (5, 7, 3)] 11 (8, 7, 18) times, K 2 tog, K to end—58 (60, 62, 80) sts.

4th and 5th Sizes: [K 2 tog] 3 times, K 2, [K 2 tog, K (2, 3)] (20, 16) times, K 2 tog—(66, 70) sts.

6th and 8th Sizes: K 1, [K 2 tog, K (3, 4), K 2 tog, K (4, 5)] (6, 7) times, [K 2 tog] (3, 1) time, K to end—(74, 84) sts.

All Sizes: Work in K 1, P 1 ribbing for 3 (3½, 3½, 4, 4, 4, 4)". Using larger needles, bind off loosely in rib.

FINISHING: Sew armhole seams from markers. Sew side and sleeve seams.

Fold neckband in half to wrong side and loosely st in place.

WORKING WITH CIRCULAR NEEDLES

Susan Bates® "Circular Needles" are quite versatile and easy to work with. In contrast to straight needles, circulars can make seamless garments by working in rounds, such as raglan sleeve sweaters and skirts. The front and back are made at the same time, so there is hardly any finishing of seams.

Circulars can also be used in place of straight needles by working back and forth in rows. Because they are available in longer lengths, many more stitches can be casted on for large, one-piece articles, such as afghans and shawls.

Always choose a length of circulars suitable for the width of knitting you are working with. If working in rounds, the stitches must not be stretched so that the work flows smoothly. Always mark the beginning of a round with a Susan Bates® Stitch Count Marker.

To begin working in rounds or in rows, follow the instructions below.

FOR LEFT HANDERS

TO WORK IN ROUNDS

Cast on the required number of stitches in the usual way. Switch the ends of the needle into the opposite hands.



Place a Stitch Count Marker onto the point in your left hand. Knit the first stitch on the right needle (the first cast-on stitch), then continue all around until you reach the marker. The next round begins in the next stitch without changing the position of the needle.

FOR RIGHT HANDERS

TO WORK IN ROUNDS

Cast on the required number of stitches in the usual way. Switch the ends of the needle into the opposite hands.



Place a Stitch Count Marker onto the point in your right hand. Knit the first stitch on the left needle (the first cast-on stitch), then continue all around until you reach the marker. The next round begins in the next stitch without changing the position of the needle.

TO WORK IN ROWS

Cast on the required number of stitches in the usual way.



Knit the first stitch into the last stitch that was casted on. Continue across the row as if working with straight needles, then switch the ends to the opposite hands to begin a new row.

TO WORK IN ROWS

Cast on the required number of stitches in the usual way.



Knit the first stitch into the last stitch that was casted on. Continue across the row as if working with straight needles, then switch the ends to the opposite hands to begin a new row.

ABBREVIATIONS

beg.....	beginning
ch.....	chain
dc.....	double crochet
dec.....	decrease
ea.....	each
g.....	gram
hdc.....	half double crochet
inc.....	increase
K.....	knit
lp.....	loop
mm.....	millimeters
P.....	purl
pat.....	pattern
psso.....	pass the slip stitch over
rem.....	remaining
rep.....	repeat
rnd.....	round
sc.....	single crochet
sk.....	skip
sl.....	slip
sl st.....	slip stitch
sl 1 K.....	slip 1 stitch knitwise
sl 1 P.....	slip 1 stitch purlwise
sp.....	space

st(s).....	stitch(es)
St st.....	Stockinette Stitch (K 1 row, P 1 row)
tbl.....	thru back loop
tog.....	together
wyib.....	with yarn in back
wyif.....	with yarn in front
yo.....	yarn over

SPECIAL ABBREVIATIONS:

M 1 = Make 1 stitch by picking up horizontal strand lying before next st and work into back of it

Rib = Work in ribbing as established

CANADIAN KNITTERS PLEASE NOTE:

American and Canadian terminologies differ slightly. Equivalents are shown below.

U.S. CANADIAN

bind off = cast off

gauge = tension

yarn over = yarn forward or yarn round needle

INTERNATIONAL CARE SYMBOLS

WASHING

The wash tub symbol indicates that the article can be washed by machine or hand. The temp. in a wash tub symbol indicates that the article should be washed by hand only.

 Can be washed at any temp. up to 30°C (86°F)

 Can be washed at any temp. up to 40°C (104°F)

 Can be washed in warm water at a temp. of 60°C (140°F) (30°C (56°F) is sometimes used)

 HAND WASH ONLY (WARM OR COLD)

DRY CLEANING



can be dry cleaned with any solvent



can be dry cleaned with perchloroethylene or white spirit



can be dry cleaned with white spirit only



do not dry clean

BLEACHING



can be bleached



do not bleach

IRONING



cool, can be ironed up to a temp. of 120°C (248°F)



warm, can be ironed up to a temp. of 150°C (302°F)




hot, can be ironed up to a temp. of 200°C (392°F)



do not iron

KNITTING NEEDLE SUGGESTED EQUIVALENT CHART


Canadian & U.K. Sizes	000	00	0	1	2	3	4	5	6	7	8	9	—	10	11	12	13	14	15
Metric Sizes	1.0	.9	.8	7/8	7	6 1/2	6	5 1/2	5	4 1/2	4	3 1/2	3 1/4	3	2 3/4	2 1/2	2 1/4	2	1 3/4
U.S. Sizes	15	13	11	—	—	10 1/2	10	9	8	7	6	5	4	3	—	2	1	0	—





7

friendsworld.ru



friendsworld.ru

Susan Bates

